

Human Salmonella Serotypes, August 2004

Serotype	Health Districts																								Total
	NL	NW	CA*	SA	WK	TG	BE	GS	RO	TP	RU	HB	TK	WG	MW	WR	WN	HU	NM	WC	CB	SC	OT	SO	
Birkenhead																			1 <sup>R</sup>						1
Bovismorbificans																	2								2
Brandenburg																							2	3	5
Butantan <sup>N</sup>									2 <sup>R</sup>																2
Corvallis			1																						1
Enteritidis phage type	1	1																							1
1b		1																			1				2
4			1		1																				2
4b		2															1	1			1				5
6a			1 <sup>R</sup>															1			1				3
8		1																							1
14b															1 <sup>R</sup>										1
RDNC			2																						2
Untypable			1																						1
Haardt					1 <sup>R</sup>																				1
Lexington 15+			1 <sup>R</sup>																						1
Montevideo					1																				1
Newport			1																		1				2
Ohio			1 <sup>R</sup>																						1
Oranienburg	1 <sup>U</sup>																								1
Oslo				1 <sup>R</sup>																					1
Reading																					1				1
Saintpaul					3 <sup>H</sup>																				3
Thompson																	1 <sup>R</sup>								1
Typhimurium phage type	1		2 <sup>H</sup>																						2
8																		1							1
9														1											1
42																	1								1
74		1																							1
101		1			2								1												4
135			1																						1
154					1																				1
156					3											1									4
160	1 <sup>B</sup>	2	2	2	3	1						1		1	2			2			2				19
RDNC												1													1
Virchow		1		2																	1 <sup>R</sup>				4
Weltevreden		1 <sup>R</sup>		1		1 <sup>R</sup>						1 <sup>R</sup>													4
Weltevreden 15+		1 <sup>R</sup>		1 <sup>R</sup>					1 <sup>R</sup>																3
Group B 4,5,12 : d : -			2																						2
Group D 9,12 : - : 1,5		1																							1
Group E 3,10 : r : -		2	2									2 <sup>R</sup>													6
TOTAL	3	14	18	7	15	2	0	0	3	0	0	5	1	2	3	1	5	5	1	0	8	0	2	3	98

\* Includes where precise Auckland district is not known

S. Typhimurium 36  
Others 62

B Blood culture including 1 S. Brandenburg SO.

H Household including both S. Butantan RO.

N New serotype in New Zealand. Group E 3,10, [15][15,34] : b : 1,5.

R Recent Overseas Travel including 1 of Group E 3,10 : r : - from NW.

U Isolated from urine.

There were two mixed infections. S. Weltevreden 15+ and one S. Butantan RO and S. Enteritidis RDNC and one Group E 3,10 : r : - CA.