

Human Salmonella Serotypes, February 2004

	Health Districts																										Total
Serotype	NL	NW	CA*	SA	WK	TG	BE	GS	RO	TP	RU	HB	TK	WG	MW	WR	WN	HU	NM	WC	CB	SC	OT	SO			
Agona			1																						1		
Bareilly																					1				1		
Brandenburg						1																			1		
Corvallis			1 ^C																						1		
Enteritidis phage type	9a	1			1														1		1	1		1	6		
	26			1																					1		
Hadar																							1 ^R		1		
Infantis	2		2	1	3						1		1	1										2	13		
Javiana			1 ^U																						1		
Liverpool				2 ^I																					2		
Mbandaka						1																			1		
Mississippi																					1				1		
Oranienburg																		1							1		
Paratyphi A		1 ^R	1 ^V																						2		
Paratyphi B var Java		1 ^V																							1		
Rissen																								1 ^M	1		
Saintpaul																		1			1		3	2	7		
Sandiego				1 ^R																					1		
Thompson		1	1						1																3		
Typhi t		2		1														1							4		
Typhimurium phage type	1	1	1				1		1									1			1	2	1		9		
1 variant																			1 ^A						1		
12a												1		1					1		1				4		
42				1		1															1				3		
42a																					1				1		
74		1	2												1		2		1		2				9		
101					1																1				2		
104				1																					1		
130																		1							1		
135				1														1							2		
156			1									1			1		1				2				6		
160	1		1	2	2	1	1			1		5	1	1	2		2	1			2	1	2	1	27		
206																					1		1 ^R		2		
Virchow			1																						1		
Group B 4,5,12 : d : -		1																			1 ^R			1 ^M	3		
Group D 9,12 : - : -													1												1		
TOTAL	4	8	13	11	7	4	2	0	2	1	1	7	3	3	4	0	9	3	4	0	17	4	8	8	123		

* Includes where precise Auckland district is not known

S. Typhimurium 68
Others 55

A Isolated from abscess fluid.

B Blood culture isolates both S. Paratyphi A and S. Paratyphi B var Java.

C Uncommon serotype.

I Immigrant.

M Mixed infection.

R Recent overseas travel.

U Isolated from urine.

V Incoming overseas visitor.

t M/55 SA phage type E7 variant. Recent travel Samoa.

F/64 WN phage type E1a. Isolated from infected leg wound. Recent travel Samoa.

F/23 NW phage type E1a. Isolated from urine. Recent travel Samoa.

M/21 NW phage type Untypable. Recent travel India, Thailand.