

Serotype	Health District																								Total
	NL	NW	CA*	SA	WK	TG	GS	BE	RO	TP	RU	HB	TK	WG	MW	WR	WN	HU	NM	WC	CB	SC	OT	SO	
Agona									2						1						1				3
Bovismorbificans																					1				1
Enteritidis phage type 1		1																							1
6a																					1				1
Untypable																					1 ^R				1
Hindmarsh																1									1
Infantis				1																					1
Livingstone c			1																						1
Newport				1																					1
Paratyphi B var Java					1																				1
Poona c			1																						1
Saintpaul																								1	1
Typhi t			1																						1
Typhimurium phage type 1		1	1		1		1						1 ^H								1				6
9																							1	2	3
23		1																							1
42																					1				1
101					1																				1
135		1					2										1								4
156			1														1								2
160		1				1											1				1		1		5
195			1																						1
c 208																					1				1
RDNC					1 ^U							3												1	5
RDNC-May 06			1		1									1											3
Rough																					1 ^R		1		2
U302																							1		1
Weltevreden				1																					1
Group B 4,12 : i : - f					1																				1
Group D 9,12 : - : -					1																				1
Group E 3,10 : r : -			3																						3
Total	2	3	10	3	7	1	3	0	2	0	0	3	1	1	1	1	3	0	0	0	8	0	4	4	57

*Includes where Auckland health district is unknown

C Uncommon serotype of phage type

F First human isolate in New Zealand

H Household contact, include one isolate of *S. Typhimurium* phage type 135,
one isolate of *S. Typhimurium* phage type 9

R Recent overseas travel

U Urine culture isolate

S. Typhimurium 37
Other Serotypes 20

t M/17 CA phage type E7 variant. Recent travel unknown.