

Human *Salmonella* isolates, March 2013

| | Health District | | | | | | | | | | | | | | | | | | | | | | | Total | Blood | Urine | Travel ^R | |
|--------------------------------|-----------------|----|-----|----|----|----|----|----|----|----|----|----------------|----|----|----|----|----|----|----|----|----|----|----|-------|-------|-------|---------------------|----|
| Serotype | NL | NW | CA* | SA | WK | TG | BE | GS | RO | TP | RU | HB | TK | WG | MW | WR | WN | HU | NM | WC | CB | SC | OT | SO | | | | |
| Aberdeen | | | | | | | | | | | | | | | | | 1 | | | | 1 | | | | 2 | 1 | | 1 |
| Agona | | 1 | | | 1 | | | | 1 | | | | | | 1 | | | | | | | | | | 4 | | | 2 |
| Brandenburg | | | | | | | | | | | | | | | | | | | | | | | 2 | | 2 | | | |
| Derby | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Enteritidis phage type 1 | | | | | | | | | | | | | | | | | 1 | | | | | | | | 1 | | | 1 |
| 6a | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | | | 1 |
| 7 | | | | | | | | | | | | | | | 1 | | | | | | | | | | 1 | | | 1 |
| 11 | | | | 1 | 1 | | | 1 | | | 1 | | | | | | | 1 | | | 2 | | | | 7 | | | |
| 13 | | 2 | | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| 21 variant | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | | | 1 |
| 26 | | | | 1 | | | | | | | | | | | 1 | | | | | | | | | | 2 | | | 1 |
| Untypable | | | | | 2 | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Heidelberg | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | | |
| Infantis | | 1 | | 2 | | | | | | | | | | | | | | 1 | | | | | | | 4 | 1 | | |
| Mississippi | | | 1 | | | | | | | | | | | | | | | | | | 1 | | | | 2 | | | |
| Oslo | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Panama | | | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Paratyphi A | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | 1 | | 1 |
| Paratyphi B var. Java | | | | | | | | | | | | | | | | | 1 | | | | | | | | 1 | | | 1 |
| Poona ^c | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 | | | 1 |
| Saintpaul | | | 1 | | | | | 1 | | | | | | | | | | | 1 | | 2 | | 2 | 1 | 8 | | | |
| Stanley | | 2 | | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Thompson | | | | 1 | | | | | | | | 4 | | | | | | 1 | | | | | | | 6 | | | |
| Typhi phage type E1a | | | | 1 | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 |
| E7 variant | | | 2 | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | 1 |
| Typhimurium phage type 1 | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | 2 | | | |
| 8 | | | | | | | | 1 | | | | | | | | | | | | | | | | | 1 | | | |
| 12a | | | | 1 | | 1 | | | | | | | | | | | | | | | 1 | | | | 3 | | | |
| 26 | | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| 42 | 1 | | | | | | | | | | | | | | | | | | | | | 2 | | | 3 | | | |
| 74 | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | | | |
| 101 | | 2 | | | | | | | | | | | | | | | | | | | 1 | | | | 3 | | | |
| 108/170 | | | 1 | | | | | | | | | | | | 1 | | | | | | | 2 | | | 4 | | | |
| 135 | | | | | | 1 | | | | | | | | | | | | | | | | | 2 | | 3 | | | 1 |
| 160 | | | | | | | | | | | | | | | 1 | | | | 1 | | 1 | | 7 | | 10 | | | |
| 185 | | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| 193 | | | | | | | | | | | | 2 ^H | | | | | | | 1 | | | | | | 3 | | | |
| RDNC | | 1 | | | | | | | | | | 1 | | | | | | | | | | | | | 2 | | | |
| RDNC-May 06 | | | | | 1 | | | | | | | 1 | 2 | | | | | | | | | | | | 4 | | | |
| Virchow | | | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Subsp. (I) ser. 4,5,12 : i : - | | | | | | | 1 | | | | | | | | | | | | | | 1 | | | | 2 | | | 1 |
| Total | 1 | 12 | 8 | 7 | 7 | 4 | 1 | 3 | 1 | 0 | 1 | 8 | 2 | 0 | 5 | 0 | 2 | 4 | 3 | 0 | 12 | 5 | 12 | 4 | 102 | 4 | 0 | 15 |

* Includes where Auckland Health District is unknown

^C Uncommon serotype or phage type

^H Household cluster

^R Recent overseas travel

S. Typhimurium 41

Other serotypes 61