


Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT for gonorrhoea testing introduced in Q1 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	353	362	315	344	358	304	285	202
<i>Female</i>	260	285	240	276	280	229	219	154
<i>Male</i>	92	75	73	68	77	75	66	47
Tests per 100 000 population²	1969	1877	1808	1911	1838	1849	1857	1412

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	25	15	19	38	52	39	44	32
<i>Female</i>	9	8	11	25	29	27	26	18
<i>Male</i>	16	7	8	13	22	12	18	14
Tests per 100 000 population²	2732	2923	2811	3122	3488	2678	2632	2827

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. PCR for gonorrhoea testing introduced in Q4 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	713	746	668	748	687	677	581	619
<i>Female</i>	520	525	501	559	517	481	444	461
<i>Male</i>	193	220	167	189	170	192	136	158
Tests per 100 000 population²	2023	2121	1894	2039	1953	2011	1849	2060

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	61	35	38	46	39	54	46	71
<i>Female</i>	26	16	12	15	18	27	23	42
<i>Male</i>	35	19	26	31	21	27	23	29
Tests per 100 000 population²	1748	1850	1684	1836	1720	1800	2092	2694

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	316	358	318	340	360	350	341	328
<i>Female</i>	257	280	247	262	288	271	260	257
<i>Male</i>	59	78	70	78	71	79	81	71
Tests per 100 000 population²	2649	2791	2573	2901	2697	2806	2632	2823

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	16	17	24	30	29	20	25	29
<i>Female</i>	7	8	11	15	8	9	8	14
<i>Male</i>	9	9	13	15	21	11	17	15
Tests per 100 000 population²	1774	1700	2053	2354	2150	2176	1925	2098

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	418	508	412	416	403	383	394	352
<i>Female</i>	316	379	312	297	286	270	267	270
<i>Male</i>	102	129	98	109	103	110	95	70
Tests per 100 000 population²	2087	2166	1991	2151	2010	2052	2013	1819

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	33	25	29	25	35	19	18	38
<i>Female</i>	13	8	9	7	15	5	7	16
<i>Male</i>	20	17	20	18	20	14	11	17
Tests per 100 000 population²	1508	1532	1511	1595	1518	1518	1464	1303

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. PCR for gonorrhoea testing introduced in Q4 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	173	174	144	194	171	151	116	176
<i>Female</i>	140	125	115	147	129	113	77	126
<i>Male</i>	32	49	28	46	42	38	39	49
Tests per 100 000 population²	2792	2766	2373	2573	2528	2491	2451	2498

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	34	47	30	55	53	44	39	57
<i>Female</i>	20	19	18	24	25	21	17	26
<i>Male</i>	14	28	12	31	28	23	22	30
Tests per 100 000 population²	2575	2438	2152	2265	2316	2459	2553	2372

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in some quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	179	174	148	170	148	162	175	150
<i>Female</i>	115	121	112	129	112	118	126	116
<i>Male</i>	63	53	36	41	36	44	49	33
Tests per 100 000 population²	2188	2287	2165	2257	2119	2154	2118	2088

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	16	29	20	12	6	3	5	2
<i>Female</i>	10	15	11	5	3	3	2	0
<i>Male</i>	6	14	8	7	3	0	3	2
Tests per 100 000 population²	2466	2598	2448	2542	2486	2503	2522	2474

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT for gonorrhoea testing introduced during Q4 2011.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	414	365	346	396	374	383	336	328
<i>Female</i>	322	281	268	303	295	293	254	247
<i>Male</i>	92	84	78	93	79	90	82	80
Tests per 100 000 population²	2164	2046	1807	1997	1856	1949	1849	1901

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	37	30	38	89	68	52	61	92
<i>Female</i>	16	18	24	52	37	33	42	55
<i>Male</i>	21	12	14	37	31	19	19	37
Tests per 100 000 population²	856	796	1912	1997	1856	1949	1849	2386

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates for females are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	133	107	108	135	119	141	127	102
<i>Female</i>	101	85	79	86	86	104	92	79
<i>Male</i>	32	22	29	48	33	35	35	23
Tests per 100 000 population²	1715	1736	1574	1736	1578	1800	1591	1607

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	13	7	15	12	12	8	6	8
<i>Female</i>	7	2	5	4	3	1	1	3
<i>Male</i>	6	5	10	8	9	7	5	5
Tests per 100 000 population²	1045	1140	1048	1053	1091	1205	1043	1082

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. PCR for gonorrhoea testing introduced in Q4 2012. Gonorrhoea rates for females are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	310	276	236	317	270	235	258	283
<i>Female</i>	229	193	167	222	198	164	170	196
<i>Male</i>	80	83	68	93	71	71	86	87
Tests per 100 000 population²	1779	1734	1607	1730	1593	1678	1685	1678

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	25	23	29	17	23	20	8	11
<i>Female</i>	13	10	10	7	8	9	3	4
<i>Male</i>	12	13	19	10	15	11	5	7
Tests per 100 000 population²	1604	1500	1426	1501	1371	1423	1459	1448

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	64	44	55	52	65	65	47	64
<i>Female</i>	48	35	48	42	51	55	39	48
<i>Male</i>	16	9	7	10	14	10	8	16
Tests per 100 000 population²	1486	1232	1272	1383	1314	1457	1356	1460

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	13	4	4	4	3	3	4	6
<i>Female</i>	8	1	4	3	1	3	1	3
<i>Male</i>	5	3	0	1	2	0	3	3
Tests per 100 000 population²	1148	1037	1047	1078	918	1063	1026	1100

¹Total includes cases where sex is not reported


²Denominator = Statistics New Zealand mid-year population estimates

WELLINGTON REGION

Capital and Coast and Hutt Valley DHBs

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Chlamydia data only available from Q3 2012. NAAT for gonorrhoea testing introduced during Q2 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	-	-	-	-	-	618	560	612
<i>Female</i>	-	-	-	-	-	435	387	431
<i>Male</i>	-	-	-	-	-	180	171	177
Tests per 100 000 population²	-	-	-	-	-	2347	2179	2276

¹Total includes cases where sex is not reported²Denominator = Statistics New Zealand mid-year population estimates


Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	41	41	33	60	46	57	43	74
<i>Female</i>	12	18	13	21	23	30	16	37
<i>Male</i>	29	23	20	39	23	26	27	37
Tests per 100 000 population²	1681	1723	1587	1755	2060	2339	2173	2275

¹Total includes cases where sex is not reported²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Data only available for Nelson Marlborough DHB from Q3 2012. Gonorrhoea rates are not presented as there are fewer than five cases in the quarter.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	-	-	-	-	-	197	169	181
<i>Female</i>	-	-	-	-	-	143	119	133
<i>Male</i>	-	-	-	-	-	54	49	48
Tests per 100 000 population²	-	-	-	-	-	527	1631	1718

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	-	-	-	-	-	13	10	2
<i>Female</i>	-	-	-	-	-	8	3	2
<i>Male</i>	-	-	-	-	-	5	7	0
Tests per 100 000 population²	-	-	-	-	-	527	1631	3471

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: Procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	38	45	35	44	44	40	28	45
<i>Female</i>	27	31	24	35	30	30	14	29
<i>Male</i>	11	14	10	9	14	10	14	15
Tests per 100 000 population²	1675	1711	1356	1517	1748	1526	1052	1821

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	2	2	0	0	1	1	2	2
<i>Female</i>	2	0	0	0	0	0	0	1
<i>Male</i>	0	2	0	0	1	1	2	1
Tests per 100 000 population²	1842	2203	1975	1964	2201	1891	1550	1824

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Data from all labs in Canterbury DHB only available from Q3 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	-	-	-	-	-	697	623	685
<i>Female</i>	-	-	-	-	-	480	438	456
<i>Male</i>	-	-	-	-	-	217	185	227
Tests per 100 000 population²	-	-	-	-	-	1987	1916	2089

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	-	-	-	-	-	44	57	62
<i>Female</i>	-	-	-	-	-	25	32	29
<i>Male</i>	-	-	-	-	-	19	25	30
Tests per 100 000 population²	-	-	-	-	-	1987	1916	2707

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Data only available for South Canterbury DHB from Q3 2012. Gonorrhoea rates are not presented as there are fewer than five cases in the quarter.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	-	-	-	-	-	56	88	77
<i>Female</i>	-	-	-	-	-	40	64	56
<i>Male</i>	-	-	-	-	-	12	18	12
Tests per 100 000 population²	-	-	-	-	-	377	1422	1478

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013


	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	-	-	-	-	-	3	2	1
<i>Female</i>	-	-	-	-	-	1	1	1
<i>Male</i>	-	-	-	-	-	2	1	0
Tests per 100 000 population²	-	-	-	-	-	377	1422	1484

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: January - March 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Apr 2011 to Mar 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT for gonorrhoea testing introduced in Q4 2011.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	536	651	537	566	521	455	476	447
<i>Female</i>	386	467	383	400	382	321	332	325
<i>Male</i>	145	176	154	164	134	129	144	118
Tests per 100 000 population²	2478	2434	2203	2353	2235	2302	2172	2207

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, April 2011 to March 2013

	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013
Number of lab-confirmed cases¹	25	30	31	36	53	35	34	29
<i>Female</i>	20	13	18	17	28	23	21	13
<i>Male</i>	5	16	13	19	19	12	13	11
Tests per 100 000 population²	1357	1217	1873	2360	2234	2302	2172	2302

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates