


Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced in Q1 2012. Gonorrhoea rates are not present as data were incomplete from Q2 2013.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	315	344	358	304	285	204	214	188
<i>Female</i>	240	276	280	229	219	156	172	146
<i>Male</i>	73	68	77	75	66	47	42	42
Tests per 100 000 population²	1808	1911	1838	1849	1857	1418	1465	1475

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	19	38	52	39	44	32	*	*
<i>Female</i>	11	25	29	27	26	18	*	*
<i>Male</i>	8	13	22	12	18	14	*	*
Tests per 100 000 population²	2811	3122	3488	2678	2632	2826	*	*

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates


*Incomplete data

AUCKLAND REGION

Auckland, Counties Manukau and Waitemata DHBs

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: Routine use of NAAT for gonorrhoea testing introduced by LabPlus in April 2011 and Labtests in March 2012. Data not received from Waitemata DHB since Q1 2013.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	2499	2809	2875	2678	2395	2563	2497	2499
<i>Female</i>	1800	2074	2046	1922	1728	1751	1740	1768
<i>Male</i>	696	734	818	752	667	811	755	731
Tests per 100 000 population²	2336	2488	2469	2486	2337	2433	2476	2591

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	273	386	392	544	461	400	464	404
<i>Female</i>	91	159	202	290	239	179	183	163
<i>Male</i>	181	226	190	245	221	221	280	241
Tests per 100 000 population²	3702	3895	3714	3576	2506	2780	2839	2918

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced in Q4 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	668	748	687	677	581	612	697	707
<i>Female</i>	501	559	517	481	444	457	495	518
<i>Male</i>	167	189	170	192	136	155	202	189
Tests per 100 000 population²	1894	2039	1953	2011	1849	1996	2013	2178

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	38	46	39	54	46	70	80	82
<i>Female</i>	12	15	18	27	23	41	48	45
<i>Male</i>	26	31	21	27	23	29	32	37
Tests per 100 000 population²	1684	1836	1720	1800	2092	2649	2597	2919

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for Gonorrhoea testing introduced for Pathlab Rotorua 1 July 2013.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	318	340	360	350	341	329	337	310
<i>Female</i>	247	262	288	271	260	257	252	236
<i>Male</i>	70	78	71	79	81	72	85	74
Tests per 100 000 population²	2573	2901	2697	2806	2632	2835	2905	2831

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	24	30	29	20	25	29	31	46
<i>Female</i>	11	15	8	9	8	14	16	27
<i>Male</i>	13	15	21	11	17	15	15	19
Tests per 100 000 population²	2053	2354	2150	2176	1925	2096	2112	3081

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced in Q3 2013.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	412	416	403	383	394	360	366	407
<i>Female</i>	312	297	286	270	267	274	276	296
<i>Male</i>	98	109	103	110	95	74	82	107
Tests per 100 000 population²	1991	2151	2010	2052	2013	1938	1984	2036

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	29	25	35	19	18	39	39	39
<i>Female</i>	9	7	15	5	7	17	12	22
<i>Male</i>	20	18	20	14	11	17	18	13
Tests per 100 000 population²	1511	1595	1518	1518	1464	1379	1399	2020

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced in Q4 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	144	194	171	151	116	176	165	170
<i>Female</i>	115	147	129	113	77	126	119	124
<i>Male</i>	28	46	42	38	39	49	46	46
Tests per 100 000 population²	2373	2573	2528	2491	2451	2517	2419	2524

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	30	55	53	44	39	56	54	31
<i>Female</i>	18	24	25	21	17	26	28	20
<i>Male</i>	12	31	28	23	22	29	26	11
Tests per 100 000 population²	2152	2265	2316	2459	2553	2372	2389	2498

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in some quarters

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	148	170	148	162	175	150	135	157
<i>Female</i>	112	129	112	118	126	116	103	118
<i>Male</i>	36	41	36	44	49	33	32	39
Tests per 100 000 population²	2165	2257	2119	2154	2118	2088	1998	2143

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	20	12	6	3	5	2	3	0
<i>Female</i>	11	5	3	3	2	0	2	0
<i>Male</i>	8	7	3	0	3	2	1	0
Tests per 100 000 population²	2448	2542	2486	2503	2522	2476	2370	2566

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced during Q4 2011

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	346	396	374	383	336	334	328	340
<i>Female</i>	268	303	295	293	254	251	254	262
<i>Male</i>	78	93	79	90	82	82	74	78
Tests per 100 000 population²	1807	1997	1856	1949	1849	1914	1936	2071

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	38	89	68	52	61	92	62	49
<i>Female</i>	24	52	37	33	42	55	36	30
<i>Male</i>	14	37	31	19	19	37	26	19
Tests per 100 000 population²	1912	1997	1856	1949	1849	2390	2382	2497

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	108	135	119	141	127	102	119	94
<i>Female</i>	79	86	86	104	92	79	95	67
<i>Male</i>	29	48	33	35	35	23	24	27
Tests per 100 000 population²	1574	1736	1578	1800	1591	1608	1584	1634

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	15	12	12	8	6	8	5	2
<i>Female</i>	5	4	3	1	1	3	1	0
<i>Male</i>	10	8	9	7	5	5	4	2
Tests per 100 000 population²	1048	1053	1091	1205	1043	1082	1035	1039

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	236	317	270	235	258	284	300	255
<i>Female</i>	167	222	198	164	170	197	220	177
<i>Male</i>	68	93	71	71	86	87	80	78
Tests per 100 000 population²	1607	1730	1593	1678	1685	1680	1759	1743

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	29	17	23	20	8	11	12	14
<i>Female</i>	10	7	8	9	3	4	6	5
<i>Male</i>	19	10	15	11	5	7	6	9
Tests per 100 000 population²	1426	1501	1371	1423	1459	1448	1480	1460

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	55	52	65	65	47	64	42	60
<i>Female</i>	48	42	51	55	39	48	32	49
<i>Male</i>	7	10	14	10	8	16	10	11
Tests per 100 000 population²	1272	1383	1314	1457	1356	1467	1327	1524

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	4	4	3	3	4	6	0	3
<i>Female</i>	4	3	1	3	1	3	0	2
<i>Male</i>	0	1	2	0	3	3	0	1
Tests per 100 000 population²	1047	1078	918	1063	1026	1100	906	1090

¹Total includes cases where sex is not reported


²Denominator = Statistics New Zealand mid-year population estimates

WELLINGTON REGION

Capital and Coast and Hutt Valley DHBs

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Chlamydia data only available from Q3 2012. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced during Q2 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	-	-	-	618	560	611	661	694
<i>Female</i>	-	-	-	435	387	430	461	475
<i>Male</i>	-	-	-	180	171	177	193	215
Tests per 100 000 population²	-	-	-	2347	2179	2280	2280	2449

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	33	60	46	57	43	72	55	66
<i>Female</i>	13	21	23	30	16	36	29	30
<i>Male</i>	20	39	23	26	27	36	25	36
Tests per 100 000 population²	1587	1755	2060	2339	2173	2274	2276	2428

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced.

Data only available for Nelson Marlborough DHB from Q3 2012. Gonorrhoea rates are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	-	-	-	197	169	180	165	162
<i>Female</i>	-	-	-	143	119	133	122	111
<i>Male</i>	-	-	-	54	49	47	43	51
Tests per 100 000 population²	-	-	-	*	1631	1726	1617	1684

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

*Number of tests were not available for July and August Q3 2012

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	-	-	-	13	10	1	7	4
<i>Female</i>	-	-	-	8	3	1	1	2
<i>Male</i>	-	-	-	5	7	0	6	2
Tests per 100 000 population²	-	-	-	*	1631	3487	3279	3332


¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

*Number of tests were not available for July and August Q3 2012

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	35	44	44	40	28	45	37	40
<i>Female</i>	24	35	30	30	14	29	31	32
<i>Male</i>	10	9	14	10	14	15	5	7
Tests per 100 000 population²	1356	1517	1748	1526	1052	1821	1751	1629

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	0	0	1	1	2	2	3	1
<i>Female</i>	0	0	0	0	0	1	2	1
<i>Male</i>	0	0	1	1	2	1	1	0
Tests per 100 000 population²	1975	1964	2201	1891	1550	1824	1751	1629

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Data from all labs in Canterbury DHB only available from Q3 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	-	-	-	697	623	686	635	674
<i>Female</i>	-	-	-	480	438	457	429	460
<i>Male</i>	-	-	-	217	185	227	205	213
Tests per 100 000 population²	-	-	-	1987	1916	2091	2124	2137

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013


	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	-	-	-	44	57	62	72	50
<i>Female</i>	-	-	-	25	32	29	43	28
<i>Male</i>	-	-	-	19	25	30	29	21
Tests per 100 000 population²	-	-	-	1987	1916	2702	3049	3035

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Data only available for South Canterbury DHB from Q3 2012. Gonorrhoea rates are not presented as there are fewer than five cases in the quarter.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	-	-	-	56	88	76	74	56
<i>Female</i>	-	-	-	40	64	55	55	37
<i>Male</i>	-	-	-	12	18	12	15	19
Tests per 100 000 population²	-	-	-	*	1422	1485	1263	1363

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

*Number of tests were not available for July and August Q3 2012

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	-	-	-	3	2	1	2	2
<i>Female</i>	-	-	-	1	1	1	0	1
<i>Male</i>	-	-	-	2	1	0	2	1
Tests per 100 000 population²	-	-	-	*	1422	1485	1406	1752


¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

*Number of tests were not available for July and August Q3 2012

Laboratory surveillance of chlamydia and gonorrhoea: July - September 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Oct 2011 to Sep 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT for gonorrhoea testing introduced in Q4 2011

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	537	566	521	455	476	448	496	495
<i>Female</i>	383	400	382	321	332	326	359	322
<i>Male</i>	154	164	134	129	144	118	136	171
Tests per 100 000 population²	2203	2353	2235	2302	2172	2213	2378	2483

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, October 2011 to September 2013

	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013
Number of lab-confirmed cases¹	31	36	53	35	34	30	19	24
<i>Female</i>	18	17	28	23	21	14	11	11
<i>Male</i>	13	19	19	12	13	11	8	12
Tests per 100 000 population²	1873	2360	2234	2302	2172	2305	2464	2565

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates