

**NSU (Males Only) : Table 3 - Age, Sex & Ethnicity Disease Rates**  
**January 2003 to March 2003**  
**STD Clinics**

<b>Total Clinic Visits<sup>1</sup></b>			<b>Male</b>		<b>Female</b>		<b>Total</b>	
<b>Male</b>	<b>Female</b>	<b>AgeGroup</b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>
16	245	<15	0	0.0%	0	0.0%	0	0.0%
757	4,022	15-19	26	3.4%	0	0.0%	26	0.5%
2,347	3,548	20-24	69	2.9%	0	0.0%	69	1.2%
1,687	2,040	25-29	55	3.3%	0	0.0%	55	1.5%
1,355	1,149	30-34	50	3.7%	0	0.0%	50	2.0%
887	733	35-39	32	3.6%	0	0.0%	32	2.0%
566	441	40-44	18	3.2%	0	0.0%	18	1.8%
832	484	>44	28	3.4%	0	0.0%	28	2.1%
0	0	Unknown	0	0.0%	0	0.0%	0	0.0%
<b>8,447</b>	<b>12,662</b>	<b>Total</b>	<b>278</b>	<b>3.3%</b>	<b>0</b>	<b>0.0%</b>	<b>278</b>	<b>1.3%</b>

<b>Total Clinic Visits<sup>1</sup></b>			<b>Male</b>		<b>Female</b>		<b>Total</b>	
<b>Male</b>	<b>Female</b>	<b>Ethnicity</b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>
6,380	8,638	European/Pakeha	217	3.4%	0	0.0%	217	1.4%
1,072	2,680	Maori	29	2.7%	0	0.0%	29	0.8%
235	395	Pacific Island	10	4.3%	0	0.0%	10	1.6%
659	819	Other	21	3.2%	0	0.0%	21	1.4%
101	130	Unknown	1	1.0%	0	0.0%	1	0.4%
<b>8,447</b>	<b>12,662</b>	<b>Total</b>	<b>278</b>	<b>3.3%</b>	<b>0</b>	<b>0.0%</b>	<b>278</b>	<b>1.3%</b>

<sup>1</sup> Total No. Clinic Visits = total no. clinic visits per month for any reason

<sup>2</sup> Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

<sup>3</sup> Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**NSU (Males Only) : Table 4 - Patient Ethnicity by Age group**  
**January 2003 to March 2003**  
**STD Clinics**

**For cases:**

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	19	8.8%	4	13.8%	1	10.0%	2	9.5%	0	0.0%
20-24	54	24.9%	9	31.0%	2	20.0%	4	19.0%	0	0.0%
25-29	39	18.0%	7	24.1%	4	40.0%	5	23.8%	0	0.0%
30-34	39	18.0%	5	17.2%	1	10.0%	5	23.8%	0	0.0%
35-39	25	11.5%	1	3.4%	2	20.0%	4	19.0%	0	0.0%
40-44	15	6.9%	3	10.3%	0	0.0%	0	0.0%	0	0.0%
>44	26	12.0%	0	0.0%	0	0.0%	1	4.8%	1	100.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total</b>	<b>217</b>	<b>100%</b>	<b>29</b>	<b>100%</b>	<b>10</b>	<b>100%</b>	<b>21</b>	<b>100%</b>	<b>1</b>	<b>100%</b>

**For total clinic visits:**

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>
<15	8	0.1%	7	0.7%	1	0.4%	0	0.0%	0	0.0%
15-19	521	8.2%	168	15.7%	20	8.5%	41	6.2%	7	6.9%
20-24	1,691	26.5%	395	36.8%	62	26.4%	188	28.5%	11	10.9%
25-29	1,275	20.0%	190	17.7%	64	27.2%	137	20.8%	21	20.8%
30-34	1,082	17.0%	129	12.0%	34	14.5%	99	15.0%	11	10.9%
35-39	674	10.6%	85	7.9%	20	8.5%	84	12.7%	24	23.8%
40-44	453	7.1%	45	4.2%	11	4.7%	42	6.4%	15	14.9%
>44	676	10.6%	53	4.9%	23	9.8%	68	10.3%	12	11.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total</b>	<b>6,380</b>	<b>100%</b>	<b>1,072</b>	<b>100%</b>	<b>235</b>	<b>100%</b>	<b>659</b>	<b>100%</b>	<b>101</b>	<b>100%</b>

<sup>1</sup> No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**NSU (Males Only) : Table 3 - Age, Sex & Ethnicity Disease Rates**  
**January 2003 to March 2003**  
**Family Planning Clinics**

<b>Total Clinic Visits<sup>1</sup></b>			<b>Male</b>		<b>Female</b>		<b>Total</b>	
<b>Male</b>	<b>Female</b>	<b>AgeGroup</b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>
51	795	<15	0	0.0%	0	0.0%	0	0.0%
650	16,199	15-19	0	0.0%	0	0.0%	0	0.0%
479	13,833	20-24	0	0.0%	0	0.0%	0	0.0%
196	6,398	25-29	0	0.0%	0	0.0%	0	0.0%
167	4,396	30-34	0	0.0%	0	0.0%	0	0.0%
174	2,668	35-39	0	0.0%	0	0.0%	0	0.0%
108	1,685	40-44	0	0.0%	0	0.0%	0	0.0%
80	1,854	>44	0	0.0%	0	0.0%	0	0.0%
10	78	Unknown	0	0.0%	0	0.0%	0	0.0%
<b>1,915</b>	<b>47,906</b>	<b>Total</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>

<b>Total Clinic Visits<sup>1</sup></b>			<b>Male</b>		<b>Female</b>		<b>Total</b>	
<b>Male</b>	<b>Female</b>	<b>Ethnicity</b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>
1,288	31,359	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
123	3,265	Maori	0	0.0%	0	0.0%	0	0.0%
57	1,524	Pacific Island	0	0.0%	0	0.0%	0	0.0%
182	5,806	Other	0	0.0%	0	0.0%	0	0.0%
265	5,952	Unknown	0	0.0%	0	0.0%	0	0.0%
<b>1,915</b>	<b>47,906</b>	<b>Total</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>

<sup>1</sup> Total No. Clinic Visits = total no. clinic visits per month for any reason

<sup>2</sup> Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

<sup>3</sup> Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**NSU (Males Only) : Table 4 - Patient Ethnicity by Age group**  
**January 2003 to March 2003**  
**Family Planning Clinics**

**For cases:**

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>100%</b>

**For total clinic visits:**

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>
<15	16	1.2%	17	13.8%	4	7.0%	6	3.3%	8	3.0%
15-19	446	34.6%	46	37.4%	24	42.1%	47	25.8%	87	32.8%
20-24	297	23.1%	32	26.0%	19	33.3%	64	35.2%	67	25.3%
25-29	146	11.3%	5	4.1%	5	8.8%	16	8.8%	24	9.1%
30-34	110	8.5%	12	9.8%	2	3.5%	21	11.5%	22	8.3%
35-39	121	9.4%	8	6.5%	2	3.5%	18	9.9%	25	9.4%
40-44	87	6.8%	1	0.8%	0	0.0%	7	3.8%	13	4.9%
>44	63	4.9%	0	0.0%	1	1.8%	3	1.6%	13	4.9%
Unknown	2	0.2%	2	1.6%	0	0.0%	0	0.0%	6	2.3%
<b>Total</b>	<b>1,288</b>	<b>100%</b>	<b>123</b>	<b>100%</b>	<b>57</b>	<b>100%</b>	<b>182</b>	<b>100%</b>	<b>265</b>	<b>100%</b>

<sup>1</sup> No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**NSU (Males Only) : Table 3 - Age, Sex & Ethnicity Disease Rates**  
**January 2003 to March 2003**  
**Student Health Clinics**

<b>Total Clinic Visits<sup>1</sup></b>			<b>Male</b>		<b>Female</b>		<b>Total</b>	
<b>Male</b>	<b>Female</b>	<b>AgeGroup</b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>
49	159	<15	0	0.0%	0	0.0%	0	0.0%
667	2,927	15-19	0	0.0%	0	0.0%	0	0.0%
1,537	4,391	20-24	0	0.0%	0	0.0%	0	0.0%
512	982	25-29	0	0.0%	0	0.0%	0	0.0%
196	585	30-34	0	0.0%	0	0.0%	0	0.0%
151	420	35-39	0	0.0%	0	0.0%	0	0.0%
111	301	40-44	0	0.0%	0	0.0%	0	0.0%
238	383	>44	0	0.0%	0	0.0%	0	0.0%
4,214	8,808	Unknown	0	0.0%	0	0.0%	0	0.0%
<b>7,675</b>	<b>18,956</b>	<b>Total</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>

<b>Total Clinic Visits<sup>1</sup></b>			<b>Male</b>		<b>Female</b>		<b>Total</b>	
<b>Male</b>	<b>Female</b>	<b>Ethnicity</b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>	<b>Total No.</b>	<b>Rate<sup>3</sup></b>
1,726	5,138	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
720	2,161	Maori	0	0.0%	0	0.0%	0	0.0%
114	210	Pacific Island	0	0.0%	0	0.0%	0	0.0%
635	1,424	Other	0	0.0%	0	0.0%	0	0.0%
4,480	10,023	Unknown	0	0.0%	0	0.0%	0	0.0%
<b>7,675</b>	<b>18,956</b>	<b>Total</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>

<sup>1</sup> Total No. Clinic Visits = total no. clinic visits per month for any reason

<sup>2</sup> Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

<sup>3</sup> Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**NSU (Males Only) : Table 4 - Patient Ethnicity by Age group**  
**January 2003 to March 2003**  
**Student Health Clinics**

**For cases:**

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>100%</b>

**For total clinic visits:**

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>	<u>No.<sup>1</sup></u>	<u>%</u>
<15	23	1.3%	11	1.5%	1	0.9%	12	1.9%	2	0.0%
15-19	405	23.5%	80	11.1%	20	17.5%	80	12.6%	82	1.8%
20-24	721	41.8%	246	34.2%	38	33.3%	225	35.4%	307	6.9%
25-29	187	10.8%	105	14.6%	20	17.5%	98	15.4%	102	2.3%
30-34	62	3.6%	47	6.5%	6	5.3%	50	7.9%	31	0.7%
35-39	52	3.0%	24	3.3%	14	12.3%	45	7.1%	16	0.4%
40-44	35	2.0%	25	3.5%	1	0.9%	32	5.0%	18	0.4%
>44	131	7.6%	47	6.5%	10	8.8%	19	3.0%	31	0.7%
Unknown	110	6.4%	135	18.8%	4	3.5%	74	11.7%	3,891	86.9%
<b>Total</b>	<b>1,726</b>	<b>100%</b>	<b>720</b>	<b>100%</b>	<b>114</b>	<b>100%</b>	<b>635</b>	<b>100%</b>	<b>4,480</b>	<b>100%</b>

<sup>1</sup> No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases